

# Jøtul F 270

Jøtul F 270, cat no. 350791 BP / cat no. 350792 GP

BP= Sort lakk/Black Paint, GP= Grå lakk/Grey Paint UP= Ulakkert/Unpainted

Pos. no.	Spareparts	Consist of pos. no.	Benevnelse	Description	Dim./Spec.
1	117833		Skrue maskin senkeh poz M6x12 Sort DIN 966	Screw machine flat poz M6x12 Black DIN 966	Black DIN 966
2			Askeskuff front	Ash Pan Front	Cast Iron min 4mm thickness
3			Askeskuff Platestål riveted	Ash pan steelpart riveted	Steel
4	116913		Skrue senkeh innv sekskant M8x40 DIN 7991	Screw Socket Flat Head Cap M8x40 DIN 7991	St10.9
5			Front	Front	Cast Iron min 4mm thickness
5	156236	5, 14	Front BP	Front BP	Cast Iron min 4mm thickness
5	156237	5, 14	Front GP	Front GP	Cast Iron min 4mm thickness
6	221554		Hengsel dør nede	Hinge Door lower	Black matte Chromating
7	117588		Skive Ø6xØ12x0,5 St8.8 Elzn Spesial	Washer Ø6xØ12x0,5 St8.8 Elzn Special	St8.8 / ANSI B18.2
8	117881		Mutter sekskant med flens M8 ubeh. DIN 6923	Nut hex cap flange M8 untr. DIN 6923	St8.8 / ANSI B18.2
9	117868		Skrue senkeh innv sekskant M8x30 DIN 7991	Screw Socket Flat Head Cap M8x30 DIN 7991	St10.9
10	221428		Hengsel dør oppe	Hinge Door upper	Black matte Chromating
11	221451		Brennplate venstre	Burn Plate Left	Vermiculite
12	10439992		Sideplate venstre BP	Side Plate Left	Cast Iron min 4mm thickness
12	10439995		Sideplate venstre GP	Side Plate Left	Cast Iron min 4mm thickness
13	10445218		Luftkanal brennkammer venstre	Air Channel burn chamber left	Cast Iron min 4mm thickness
14			Pakn LD 250-2 m/lim 6,4x600	Gasket 250-2 W/A 6,4x600	Gasket 250-2 W/A 6,4x600
15	221429		Lås dør oppe	Lock door upper	Steel
16	10441912		Brikke	Bracket	Cast Iron min 4mm thickness
17	156679		Brennplate bak	Burn Plate Rear	Vermiculite
18	10440612		Hvelv	Baffle Plate	Cast Iron min 4mm thickness
19	10440712		Ledeplate	Exhaust Deflector	Cast Iron min 4mm thickness
20	117875		Skrue sekskant med flens M8x20 DIN 6921	Screw hex cap flange frame M8x20 DIN 6921	St8.8 / ANSI B18.2
21	221601	Utgått/ Not in use	Luftrist topp	Air Outlet Top	Cast Iron min 4mm thickness
21	10441692		Luftrist topp	Air Outlet Top	Cast Iron min 4mm thickness
21	10441692		Luftrist topp	Air Outlet Top	Cast Iron min 4mm thickness
22	10441792		Skål topp BP	Smoke Outlet Bowl BP	Cast Iron min 4mm thickness
22	10441795		Skål topp GP	Smoke Outlet Bowl GP	Cast Iron min 4mm thickness
23	117876		Skrue sekskant med flens M8x25 DIN 6921	Screw hex cap flange frame M8x25 DIN 6921	St8.8 / ANSI B18.2
24	156240	24, 29	Røykstuss Ø150 dripless	Smoke outl Ø150 dripless	Cast Iron min 4mm thickness

# Jøtul F 270

Jøtul F 270, cat no. 350791 BP / cat no. 350792 GP

BP= Sort lakk/Black Paint, GP= Grå lakk/Grey Paint UP= Ulakkert/Unpainted

Pos. no.	Spareparts	Consist of pos. no.	Benevnelse	Description	Dim./Spec.
25	10441592		Topplate ytre BP	Top Plate Outer BP	Cast Iron min 4mm thickness
25	10441595		Topplate ytre GP	Top Plate Outer GP	Cast Iron min 4mm thickness
26	156242	25, 29	Topplate indre	Top Plate Inner	Cast Iron min 4mm thickness
27	10445412		Luftkanal bak oppe venstre	Air Channel rear upper L	Cast Iron min 4mm thickness
28	117879		Skrue sekskant med flens M8x40 DIN 6921	Screw hex cap flange frame M8x40 DIN 6921	St8.8 / ANSI B18.2
29			Pakn LD 250-2 m/lim 6,4x600	Gasket LD 250-2 W/A 6,4x600	Gasket LD 250-2 W/A 6,4x600
30	156243	30, 29	Deksel røkhull	Smoke Outlet Cover	Cast Iron min 4mm thickness
31	117874		Skrue sekskant med flens M8x16 DIN 6921	Screw hex cap flange frame M8x16 DIN 6921	St8.8 / ANSI B18.2
32	10441492		Bakplate ytre BP	Rear Plate Outer BP	Cast Iron min 4mm thickness
32	10441495		Bakplate ytre GP	Rear Plate Outer GP	Cast Iron min 4mm thickness
33	117873		Skrue sekskant med flens M8x12 DIN 6921	Screw hex cap flange frame M8x12 DIN 6921	St8.8 / ANSI B18.2
34	10445512		Luftkanal bak høyre	Air Channel Rear Upper R	Cast Iron min 4mm thickness
35	10445612		Luftkanal bak nede	Air Channel Rear Lower	Cast Iron min 4mm thickness
36	156234	36, 44	Bakplate indre	Rear Plate Inner	Cast Iron min 4mm thickness
37	221452		Brennplate høyre	Burn Plate Right	Vermiculite
38			Pakn LD 250-2 M/L Ø6,4X350	Gasket LD 250-2 W/A Ø6,4X350	Gasket LD 250-2 W/A Ø6,4X350
39	10445318		Luftkanal brennkammer høyre	Air channel burn chamber right	Cast Iron min 4mm thickness
40	10440192		Sideplate høyre BP	Side Plate Right BP	Cast Iron min 4mm thickness
40	10440195		Sideplate høyre GP	Side Plate Rightt GP	Cast Iron min 4mm thickness
41	10440512		Skakerist	Riddeling grate	Cast Iron min 4mm thickness
42	10440412		Fyrbunn	Bottom plate inner	Cast Iron min 4mm thickness
43	117877		Skrue sekskant med flens M8x30 DIN 6921	Screw hex cap flange frame M8x30 DIN 6921	St8.8 / ANSI B18.2
44	118108		Blindnaglemutter M8	Blind Rivet Nut M8	Type UPO55 RS
45	10440312		Ventildeksel uteluft	Valve Cover outside air	Cast Iron min 4mm thickness
46	221568		Tetteplate for skakestang	Sealing plate for riddler plate handle	S235JRG2 (St 37-2)
47			Pakn LD 250-2 Ø6,4x300	Gasket LD 250-2 Ø6,4x300	Gasket LD 250-2 Ø6,4x300
48	156244	48, 47, 57,58	Bunnplate	Bottom Plate	Cast Iron min 4mm thickness
49	221424		Opptenningsventil sleideboks	Ignition vent, sliding box	Aluzink DX 51D+AZ
50	221423		Opptenningsventilhåndtak sammenst.	Ignition vent handle	Steel, Satin Nickel
51	221447		Distansehylse	Distance housing	Steel

# Jøtul F 270

Jøtul F 270, cat no. 350791 BP / cat no. 350792 GP

BP= Sort lakk/Black Paint, GP= Grå lakk/Grey Paint UP= Ulakkert/Unpainted

Pos. no.	Spareparts	Consist of pos. no.	Benevnelse	Description	Dim./Spec.
52	221422		Skjerplate under	Heat shield	Aluzink DX 51D+AZ Thickness 0.9mm
53	128112		Hylse f/dørslå	Sleeve	Steel
55	221425		Primærluftventil Håndtak	Primary vent handle	Stå, Satin Nickel
56	221517		Primærluftventil sleideboks	Primary vent, sliding box	Aluzink DX 51D+AZ
57	221433		Pakning primærluft ventil	Gasket primary vent	Superwool 607
58			Pakn LD 250-2 M/L Ø6,4x1550	Gasket LD 250-2 W/A Ø6,4x1550	Gasket LD 250-2 W/A Ø6,4x1550
59	221555		Lås dør nede	Lock door lower	Steel
60	156232	70 to 78	Dør kompl u/ glass BP	Door Compl w/o Glass BP	
60	156233	70 to 78	Dør kompl u/ glass GP	Door Complete w/o Glass GP	
60		70 to 79	Dør komplett BP	Door Complete BP	
60		70 to 79	Dør komplett GP	Door Complete GP	
61	156238		Askeskuff komp BP	Ash Pan Complete BP	
61	156239		Askeskuff komp GP	Ash Pan Complete GP	
62			Pakn LD 250-2 m/lim 6,4x1450	Gasket LD 250-2 W/A 6,4x1450	Gasket LD 250-2 W/A 6,4x1450
63			Pakn LD 250-2 6,4x100	Gasket LD 250-2 6,4x100	Gasket LD 250-2 6,4x100
70	221560		Håndtak dør	Handle door	Steel, Satin Nickel
71	117129		Skrue sekskant med flens M6x10 Spesial	Screw hex cap flange frame M6x10 Special	Steel
72	221430		Låsemekanisme dør komplett	Locking mechanism door complete	Steel
73			Pakn LD 375-2 Ø9,5X2000	Gasket LD 375-2 Ø9,5X2000	Gasket LD 375-2 Ø9,5X2000
74	118136		Skrue maskin senkeh M6x10 Elzn DIN 7991	Screw machine flat M6x10 Elzn DIN 7991	Elzn DIN 7991
75	128412		Glassklips (glass)	Glass Clip (glass)	Stanless Steel
76	127107		Glassklips (pakning)	Glass Clip (gasket)	Stanless Steel
77			Dør	Door	Stanless Steel
78			Pakning LD 250-2 M/L Ø6.4x1550	Gasket LD 250-2 W/adhesive Ø6.4x1550	
79	221427		Glass dør 430x350x4	Glass door 430x350x4	NEOCERAM NO
80	116650		Skrue sekskant M8x16 Elzn DIN 558	Screw Hexagon M8x16 Elzn DIN 558	St8.8 / ANSI B18.2
81	10442092		Bein, Lav venstre, BP	Leg, Low Left, BP	Cast Iron min 4mm thickness
81	10442095		Bein, Lav venstre, GP	Leg, Low Left, GP	Cast Iron min 4mm thickness
82	10445792		Bein, avstiver, BP	Leg, Support	Cast Iron min 4mm thickness

# Jøtul F 270

Jøtul F 270, cat no. 350791 BP / cat no. 350792 GP

BP= Sort lakk/Black Paint, GP= Grå lakk/Grey Paint UP= Ulakkert/Unpainted

Pos. no.	Spareparts	Consist of pos. no.	Benevnelse	Description	Dim./Spec.
82	10445795		Bein, avstiver, GP	Leg, Support	Cast Iron min 4mm thickness
83	117875		Skrue sekskant med flens M8x20 DIN 6921	Screw hex cap flange frame M8x20 DIN 6921	St8.8 / ANSI B18.2
84	10442192		Bein, Lav Høyre, BP	Leg, Low Right, BP	Cast Iron min 4mm thickness
84	10442195		Bein, Lav Høyre, GP	Leg, Low Right, GP	Cast Iron min 4mm thickness
90	116650		Skrue sekskant M8x16 Elzn DIN 558	Screw Hexagon M8x16 Elzn DIN 558	St8.8 / ANSI B18.2
91	10442992		Bein, lange venstre, BP	Leg, High left BP	Cast Iron min 4mm thickness
91	10442995		Bein, lange venstre, GP	Leg High left GP	Cast Iron min 4mm thickness
92	10445792		Bein, avstiver, BP	Leg Support	Cast Iron min 4mm thickness
92	10445795		Bein, avstiver, GP	Leg Support	Cast Iron min 4mm thickness
93	117875		Skrue sekskant med flens M8x20 DIN 6921	Screw hex cap flange frame M8x20 DIN 6921	St8.8 / ANSI B18.2
94	10443092		Bein, lange høyre, BP	Leg, High Right BP	Cast Iron min 4mm thickness
94	10443095		Bein, lange høyre, GP	Leg, High Right GP	Cast Iron min 4mm thickness
100	117876		Skrue sekskant med flens M8x25 DIN 6921	Screw hex cap flange frame M8x25 DIN 6921	St8.8 / ANSI B18.2
101	117875		Skrue sekskant med flens M8x20 DIN 6921	Screw hex cap flange frame M8x16 DIN 6921	St8.8 / ANSI B18.2
102	156252		Søyle plate BP	Pedestal Plate BP	Cast Iron min 4mm thickness
102	156253		Søyle plate GP	Pedestal Plate GP	Cast Iron min 4mm thickness
103	10453992		Søyle halvdel fremre høy BP	Pedestal Front high BP	Cast Iron min 4mm thickness
103	10453995		Søyle halvdel fremre høy GP	Pedestal Front high GP	Cast Iron min 4mm thickness
104	117881		Mutter sekskant med flens M8 ubeh. DIN 6923	Nut hex cap flange M8 untr. DIN 6923	St8.8 / ANSI B18.2
105	10453892		Søyle halvdel bakre høy BP	Pedestal Back high BP	Cast Iron min 4mm thickness
105	10453895		Søyle halvdel bakre høy GP	Pedestal Back high GP	Cast Iron min 4mm thickness
106	117873		Skrue sekskant med flens M8x12 DIN 6921	Screw hex cap flange frame M8x20 DIN 6921	St8.8 / ANSI B18.2
107	10445892		Søylestuss for innluft BP	Connect Pipe For Out Vent BP	Cast Iron min 4mm thickness
107	10445895		Søylestuss for innluft GP	Connect Pipe For Out Vent GP	Cast Iron min 4mm thickness
108	117099		Skrue sekskant med flens M6x25 DIN 6921	Screw hex cap flange frame M6x25 DIN 6921	St8.8 / ANSI B18.2
109	117880		Mutter sekskant med flens M6 ubeh. DIN 6923	Nut hex cap flange M6 untr. DIN 6923	St8.8 / ANSI B18.2
110	116650		Skrue Seksk M8x16 St8.8 ElZn DIN 933	Screw Hex M8x16 St8.8 ElZn DIN 933	St8.8 ElZn DIN 933
111	10453692		Søyle bremselukk BP	Brake Cover BP	Cast Iron min 4mm thickness

## Jøtul F 270

**Jøtul F 270, cat no. 350791 BP / cat no. 350792 GP**

**BP= Sort lakk/Black Paint, GP= Grå lakk/Grey Paint UP= Ulakkert/Unpainted**

<i>Pos. no.</i>	<i>Spareparts</i>	<i>Consist of pos. no.</i>	<i>Benevnelse</i>	<i>Description</i>	<i>Dim./Spec.</i>
111	10453695		Søyle bremselokk GP	Brake Cover GP	Cast Iron min 4mm thickness
112	118136		Skrue senkeh innv sekskant M6x10 DIN 7991	Screw Flat IntHex M6x10 St8.8	St8.8 Sortkromatisert DIN 7991
120	350997		Se egen reservedelsliste og tegning	See seperate Spare Part List and Drawing	
203	351186		Dreiestuss komplett	Revolving Flue Outlet Complete	
130	221431		Stålplate sveiset side kort BP	Steel Plate welded side low BP	Steel
130	221511		Stålplate sveiset side kort GP	Steel Plate welded side low GP	Steel
131	221432		Stålplate innfesting i bunn BP	Steel Plate fastening bracket bottom BP	Steel
131	221432		Stålplate innfesting i bunn GP	Steel Plate fastening bracket bottom GP	Steel
151	221538		Brakett kleber dekor nede	Bracket, Soap Stone Decor, side, lower	
152	221437		Kleber side 25mm	Soap Stone side, 25mm	Soap Stone
153	221537		Brakett kleber dekor oppe	Bracket Soap Stone Decor upper	Soap Stone
154	350949		Kleber topp 25mm	Soap Stone Top 25mm	Soap Stone
210	223089		Kleber side kort, Jøtul F 273	Soapstone, Side Short, Jøtul F 273	Soap Stone
211	223091		Sidebrakett kleber, Jøtul F 270	Side bracket, Soapstone, Jøtul F 270	Steel
212	223092		Skrue kleber spesial Ø6x30	Screw Soapstone Special Ø6x30	Steel
213	223093		Skive kleber spesial Ø25x5	Washer soapstone Special Ø25x5	Steel
214	223094		Kleber topp 50mm front, Jøtul F270	Soapstone Top 50mm Front F270	Soap Stone
215	223095		Kleber topp 50mm bak, Jøtul F 270	Soapstone Top 50mm Rear F270	Soap Stone
216	223090		Kleber side lang, Jøtul F274	Soapstone, Side Long, Jøtul F 274	Soap Stone
217	223091		Sidebrakett kleber, Jøtul F270	Side bracket, Soapstone, Jøtul F 270	Steel
218	223092		Skrue kleber spesial Ø6x30	Screw Soapstone Special Ø6x30	Steel
219	223093		Skive kleber spesial Ø25x5	Washer soapstone Special Ø25x5	Steel
220	223094		Kleber topp 50mm front F270	Soapstone, Top 50mm, Front Jøtul F 270	Soap Stone
221	223095		Kleber topp 50mm bakre F270	Soapstone, Top 50mm, Rear, Jøtul F 270	Soap Stone

## Jøtul F 270

**Jøtul F 270, cat no. 350791 BP / cat no. 350792 GP**

**BP= Sort lakk/Black Paint, GP= Grå lakk/Grey Paint UP= Ulakkert/Unpainted**

<i>Pos. no.</i>	<i>Spareparts</i>	<i>Consist of pos. no.</i>	<i>Benevnelse</i>	<i>Description</i>	<i>Dim./Spec.</i>
222	361009	220,221	Kleber topp 50mm komplett, Jøtul F 270	Soapstone, Top, 50mm Complete, Jøtul F 270	Soap Stone
223	224042		Skjermpate kleber, Jøtul F 270	Heat Shield, Soap Stone, Jøtul F 270	Steel Powder coated
160	222167		Brakett, dekor glass, side, nede venstre, BP	Bracket, Decor Glass, side lower left, BP	Powder coated
160	222168		Brakett, dekor glass, side, nede venstre, GP	Bracket, Decor Glass, side lower left, GP	Powder coated
161	222169		Brakett, dekor glass, side, nede høyre, BP	Bracket, Decor Glass, side lower right, BP	Powder coated
161	222170		Brakett, dekor glass, side, nede høyre, GP	Bracket, Decor Glass, side lower right, GP	Powder coated
162	222162		Glass dekor side	Glass Decor, side	Neoceram NO
163	222171		Brakett, dekor glass, side, oppe, BP	Bracket, Decor Glass, side upper, BP	Powder coated
163	222172		Brakett, dekor glass, side, oppe, GP	Bracket Decor Glass side upper, GP	Powder coated
164	351137		Glass dekor, topp	Glass Decor, Top	Neoceram NO
165	221879		Friksjonsknapp f/ glassdekor	Friction button f/ Glass Decor	Silicone
170	222175		Brakett dekor glass dør BP	Bracket, Decor Glass, Door, BP	Powder coated
170	222176		Brakett dekor glass dør GP	Bracket, Decor Glass, Door, GP	Powder coated
171	221445		Dekor glass dør	Decor Glass, Door	Neoceram NO
180	351113		Selvlukkermekanisme	Self Closing Mechanism	Steel
181	117039		Skrue sekskant M8x60 Elzn DIN 558	Screw Hexagon M8x60 Elzn DIN 558	St8.8 / ANSI B18.2
182	117521		Skive M8 Ø8,4xØ16x1.6 St8.8 ElZn DIN 125	Washer M8 Ø8.4xØ16x1.6 St8.8 ElZn DIN 125	St8.8 / ANSI B18.2
183	117726		Skr Sylh Innv6k M6x12 St8.8 DIN 912	Scr Cylh Inthex M6x12 St8.8 DIN 912	St8.8 / ANSI B18.2
184	118128		Skive M12 Ø13xØ24x2.5 St8.8 ElZn DIN 125	Washer Ø13xØ24x2.5 St8.8 ElZn DIN 125	St8.8 / ANSI B18.2
185	128112		Hylse Ø12/8.2x10	Sleeve Ø12/8.2x10	Steel
186	221899		Brakett for fjær- selvlukkende dør	Bracket For Spring- Self Closing Door	S235JRG2 (st37-2)
187	222106		Fjær E0360-037-4500S	Spring E0360-037-4500S	Stanless Steel
188	222151		Lenkemekanisme komplett	Linkage Mechanism Complete	Aluzink DX 51D+AZ

## Jøtul F 270

**Jøtul F 270, cat no. 350791 BP / cat no. 350792 GP**

**BP= Sort lakk/Black Paint, GP= Grå lakk/Grey Paint UP= Ulakkert/Unpainted**

Pos. no.	Spareparts	Consist of pos. no.	Benevnelse	Description	Dim./Spec.
<b>Jøtul F 274 Cast Iron Base, cat no. 351205 BP / cat no. 351206 GP</b>					
189	10473592		Bein, lange høyre, Jøtul F 274, BP	Leg, High, Right, Jøtul F 274 BP	Cast Iron min 4mm thickness
189	10473595		Bein, lange høyre, Jøtul F 274, GP	Leg, High, Right, Jøtul F 274 GP	Cast Iron min 4mm thickness
190	10473692		Bein, lange venstre, Jøtul F 275, BP	Leg, High, Left, Jøtul F 275 BP	Cast Iron min 4mm thickness
190	10473695		Bein, lange venstre, Jøtul F 275, GP	Leg, High, Left, Jøtul F 275 GP	Cast Iron min 4mm thickness
191	10474392		Bakstykke, Jøtul F 275, BP	Rear, Cast Iron, Jøtul F 275 BP	Cast Iron min 4mm thickness
191	10474395		Bakstykke, Jøtul F 275, GP	Rear, Cast Iron, Jøtul F 275 GP	Cast Iron min 4mm thickness
192	10474492		Sokkel hylle F275 BP	Cast Iron, Shelf, Jøtul F 275 BP	Cast Iron min 4mm thickness
192	10474495		Sokkel hylle F275 GP	Cast Iron, Shelf, Jøtul F 275 GP	Cast Iron min 4mm thickness
193	116650		Skrue Seksk M8x16 St8.8 ElZn	Screw Hex M8x16 St8.8 ElZn	St8.8 / ANSI B18.2
194	117875		Skrue 6k m/Fl M8x20 St8.8 Ubeh	Scr HexCap Fl M8x20 St8.8 Untr	St8.8 / ANSI B18.2
195	222664		Beskyttelseshette M8 sekskant svart	Protection cap M8 Hexagon, black	Polypropylene
<b>Glass Door Kit F275, cat no. 361003</b>					
200	222106		Fjær Ewes Eo360-041-4500S	Spring Ewes Eo360-041-4500S	Steel
201	126164		Fjær F/Klinke		Steel
202	117833		Skrue MaskLinse Poz M6x12sortk	Screw MachOval Poz M6x12Blackc	St8.8 / ANSI B18.2
203	11711		Skrue 6k m/Fl M6x20 St8.8 Ubeh	Scr HexCap Fl M6x20 St8.8 Untr	St8.8 / ANSI B18.2
204	222341		Dørdemper	Resilient button	Plastic Ø7x1,5mm
205	222880		Glassdør m/hengsel, Jøtul F 275		
<b>Jøtul F 275 Cast Iron Base (included Glass Door), cat no. 351190 BP / cat no. 351191 GP</b>					
	351205	189-195	Jøtul F 274 Støpejernsokkel BP	Jøtul F 274 Cast Iron Base BP	Complete Kit
	351206	189-195	Jøtul F 274 Støpejernsokkel GP	Jøtul F 274 Cast Iron Base GP	Complete Kit
	361003	200-205	Glassdør sett, Jøtul F 275	Glass Door Kit, Jøtul F 275	Complete Kit

*Draw.no 3-3161-P13*